

Data Sheet

Screwless Terminal Block

Pitch: 2,50 mm

Serie: A11E018

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard	UL	VDE
Rated voltage	250V	250V
Rated current	2A	2A
Wire range	14-22 AWG	14-22 AWG

Mechanical


Temperature range	-40°C ~ +105°C
Strip length	7.5 ~ 8.5mm

Dimensions

Pitch	2.50mm
Poles	2P - 25P

Material

Housing	Nylon PA66 (UL94V-0)
Pin header	Brass, Tin plated
Wire guard	Stainless steel



Screwless Terminal Block

Part No.: **A11E018**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	


EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)

First Pin from left in
frontside



No. of Pos.	A	Tol. P	B	Tol. P
02	6,50	± 0,35	2,50	± 0,35
03	9,00	± 0,35	5,00	± 0,35
04	11,50	± 0,35	7,50	± 0,35
05	14,00	± 0,35	10,00	± 0,35
06	16,50	± 0,35	12,50	± 0,35
07	19,00	± 0,35	15,00	± 0,35
08	21,50	± 0,35	17,50	± 0,35
09	24,00	± 0,35	20,00	± 0,35
10	26,50	± 0,35	22,50	± 0,35
11	29,00	± 0,35	25,00	± 0,35
12	31,50	± 0,35	27,50	± 0,35
13	34,00	± 0,35	30,00	± 0,35
14	36,50	± 0,35	32,50	± 0,35
15	39,00	± 0,35	35,00	± 0,35
16	41,50	± 0,35	37,50	± 0,35
17	44,00	± 0,35	40,00	± 0,35
18	46,50	± 0,35	42,50	± 0,35
19	49,00	± 0,35	45,00	± 0,35
20	51,50	± 0,35	47,50	± 0,35
21	54,00	± 0,35	50,00	± 0,35
22	56,50	± 0,35	52,50	± 0,35
23	59,00	± 0,35	55,00	± 0,35
24	61,50	± 0,35	57,50	± 0,35
25	64,00	± 0,36	60,00	± 0,36

Screwless Terminal Block

Part No.: **A11E018**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.01.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4		

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11E018	02	GY	N	N	R	B				

Pitch
2,50

02= Number of Pos. Standard 2 ~ 24Pos.	GY = Gray (Standard)	N = No Approval	N = NON Approval	R = ROHS Conform	B = Standard Package I = Individual Package	xxxxxx = Customer Number	xxx = Customer Version ??(Printing)
	GN = Green	1 = Approval for Material 2 = Approval for Terminal Block	A = UL /UR Approval Please consult EDCON for available	N = NON ROHS Conform			
	OR = Orange		B = VDE Approval Please consult EDCON for available				
	BK = Black		C = TÜV Approval Please consult EDCON for available				


Screwless Terminal Block	
Part No.:	A11E018
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11E018**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

