

Data Sheet

Screwless Terminal Block

Pitch: 2,54 mm


Serie: A11F004

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard	UL	IEC
Rated voltage	150V	130V
Rated current	4A	6A
Wire range	28-20 AWG	0.5mm ²
Withstanding voltage	AC1250V/1min	

Mechanical


Operating temperature	-40°C ~ + 105°C
Strip length	5 ~ 6mm

Dimensions

Pitch	2.54mm
Poles	1P - xxP

Material

Housing	PA66 (UL94V-0)
Pin header	Phosphor Bronze, Tin plated
Wire guard	Stainless steel




Screwless Terminal Block

Part No.: **A11F004**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)



No. of Pos.	A	Tol. P	B	Tol. P
02	6,93	± 0,30	2,54	± 0,35
03	9,47	± 0,30	5,08	± 0,35
04	12,01	± 0,30	7,62	± 0,35
05	14,55	± 0,30	10,16	± 0,35
06	17,09	± 0,30	12,70	± 0,35
07	19,63	± 0,30	15,24	± 0,35
08	22,17	± 0,30	17,78	± 0,35
09	24,71	± 0,30	20,32	± 0,35
10	27,25	± 0,30	22,86	± 0,35
11	29,79	± 0,30	25,40	± 0,35
12	32,33	± 0,30	27,94	± 0,35
13	34,87	± 0,31	30,48	± 0,36
14	37,41	± 0,32	33,02	± 0,37
15	39,95	± 0,33	35,56	± 0,38
16	42,49	± 0,34	38,10	± 0,39
17	45,03	± 0,35	40,64	± 0,40
18	47,57	± 0,36	43,18	± 0,41
19	50,11	± 0,37	45,72	± 0,42
20	52,65	± 0,38	48,26	± 0,43
21	55,19	± 0,39	50,80	± 0,44
22	57,73	± 0,40	53,34	± 0,45
23	60,27	± 0,41	55,88	± 0,46
24	62,81	± 0,42	58,42	± 0,47

Screwless Terminal Block


Part No.: **A11F004**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4		

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
-------	-------------	------------	----------	---------------	------	---------	-----------------	------------------	--	--

A11F004	02	OR	N	N	R	B				
----------------	-----------	-----------	----------	----------	----------	----------	--	--	--	--

Pitch	02= Number of Pos.	GY= Gray (Standard)	N= No Approval	N= NON Approval	R= ROHS Conform	B= Standard Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
-------	--------------------	---------------------	----------------	-----------------	-----------------	---------------------	-------------------------	------------------------------------


Standard 2 ~ 24Pos.			1= Approval for Material	A= UL /UR Approval Please consult EDCON for available	N= NON ROHS Conform	I= Individual Package		
	GN= Green		2= Approval for Terminal Block					
				B= VDE Approval Please consult EDCON for available				
	OR= Orange							
	BK= Black			C= TÜV Approval Please consult EDCON for available				

Screwless Terminal Block

Part No.: **A11F004**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11F004**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

