

Data Sheet

Screwless Terminal Block

Pitch: 2,54 mm

Serie: A11F008

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard
 Rated voltage
 Rated current
 Wire range
 Withstanding voltage

UL	IEC
300V	250V
2A	6A
24-20 AWG	0.5mm ²
AC2000V/1min	

Mechanical

Ambient temperature
 Strip length

-40°C ~ +105°C
 8.5 - 9.5mm

Dimensions


Pitch
 Poles

2.54mm
 1P-xxP

Material

Housing
 Pin header
 Wire guard

PA66 (UL94V-0)
 Phosphor Bronze, Tin plated
 Stainless steel



Screwless Terminal Block

Part No.: **A11F008**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)



No. of Pos.	A	Tol. P	B	Tol. P
02	6,58	± 0,30	2,54	± 0,35
03	9,12	± 0,30	5,08	± 0,35
04	11,66	± 0,30	7,62	± 0,35
05	14,20	± 0,30	10,16	± 0,35
06	16,74	± 0,30	12,70	± 0,35
07	19,28	± 0,30	15,24	± 0,35
08	21,82	± 0,30	17,78	± 0,35
09	24,36	± 0,30	20,32	± 0,35
10	26,90	± 0,30	22,86	± 0,35
11	29,44	± 0,30	25,40	± 0,35
12	31,98	± 0,30	27,94	± 0,35
13	34,52	± 0,31	30,48	± 0,36
14	37,06	± 0,32	33,02	± 0,37
15	39,60	± 0,33	35,56	± 0,38
16	42,14	± 0,34	38,10	± 0,39
17	44,68	± 0,35	40,64	± 0,40
18	47,22	± 0,36	43,18	± 0,41
19	49,76	± 0,37	45,72	± 0,42
20	52,30	± 0,38	48,26	± 0,43
21	54,84	± 0,39	50,80	± 0,44
22	57,38	± 0,40	53,34	± 0,45
23	59,92	± 0,41	55,88	± 0,46
24	62,46	± 0,42	58,42	± 0,47

Screwless Terminal Block

Part No.: **A11F008**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4		

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11F008	02	GY	N	N	R	B				

Pitch:
2,54

02= Number of Pos. Standard 2 ~ 24Pos.	GY = Gray (Standard)	N = No Approval	N = NON Approval	R = ROHS Conform	B = Standard Package	xxxxxx = Customer Number	xxx = Customer Version ??(Printing)
	GN = Green	1 = Approval for Material	A = UL /UR Approval Please consult EDCON for available	N = NON ROHS Conform	I = Individual Package		
	OR = Orange	2 = Approval for Terminal Block	B = VDE Approval Please consult EDCON for available				
	BK = Black		C = TÜV Approval Please consult EDCON for available				

Screwless Terminal Block	
Part No.:	A11F008
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11F008**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	28.01.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

