

Data Sheet

Screwless Terminal Block

Pitch: 7,50 mm

Serie: A11Q026

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard
Rated voltage
Rated current
Wire range
Withstanding voltage

UL	IEC
300V	250V
10A	10A
22-16 AWG	0.5-1.5mm ²
AC2000V/1Min	

Mechanical

Wire strip length
Operating temperature

8.5 ~ 9.5mm
-40°C ~ +105°C

Dimensions


Pitch
Poles

7.50mm
1P - xxP

Material

Housing
Pin header
Wire guard

PA66 (UL94V-0)
Phosphor Bronze, Tin plated
Stainless steel



Screwless Terminal Block

Part No.: **A11Q026**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)

No. of Pos.	A	Tol. P	B	Tol. P
02	17,10	± 0,35	7,50	± 0,35
03	24,60	± 0,35	15,00	± 0,35
04	32,10	± 0,35	22,50	± 0,35
05	39,60	± 0,35	30,00	± 0,35
06	47,10	± 0,35	37,50	± 0,35
07	54,60	± 0,35	45,00	± 0,35
08	62,10	± 0,35	52,50	± 0,35
09	69,60	± 0,35	60,00	± 0,35
10	77,10	± 0,35	67,50	± 0,35
11	84,60	± 0,35	75,00	± 0,35
12	92,10	± 0,35	82,50	± 0,35
13	99,60	± 0,35	90,00	± 0,35
14	107,10	± 0,35	97,50	± 0,35
15	114,60	± 0,35	105,00	± 0,35
16	122,10	± 0,35	112,50	± 0,35
17	129,60	± 0,35	120,00	± 0,35
18	137,10	± 0,35	127,50	± 0,35
19	144,60	± 0,35	135,00	± 0,35
20	152,10	± 0,35	142,50	± 0,35
21	159,60	± 0,35	150,00	± 0,35
22	167,10	± 0,35	157,50	± 0,35
23	174,60	± 0,35	165,00	± 0,35
24	182,10	± 0,35	172,50	± 0,35

Screwless Terminal Block

Part No.: **A11Q026**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.02.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4		

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11Q026	02	GY	N	N	R	B				

Pitch:
7,50

02= Number of Pos. Standard 2~24 Pos.	GY= Gray (Standard)	N= No Approval	N= NON Approval	R= ROHS Conform	B= Standard Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
	GN= Green	1= Approval for Material	A= UL /UR Approval Please consult EDCON for available	N= NON ROHS Conform	I= Individual Package		
		2= Approval for Terminal Block					
	OR= Orange		B= VDE Approval Please consult EDCON for available				
	BK= Black		C= TÜV Approval Please consult EDCON for available				


Screwless Terminal Block	
Part No.:	A11Q026
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11Q026**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

