

Data Sheet

Screwless Terminal Block

Pitch: 7,62 mm


Serie: A11R016

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard UL, VDE
 Rated voltage 300V
 Rated current 12A
 Wire range 20-14 AWG

Mechanical


Operating temperature -40°C ~ +105°C

Dimensions

Pitch 7.62mm
 Poles 2P - 24P

Material

Housing Nylon PA66 (UL94V-0)
 Pin header Brass, Tin plated
 Wire guard Stainless steel




Screwless Terminal Block

Part No.: **A11R016**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4		

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)

No. of Pos.	A	Tol. P	B	Tol. P
02	13,74	± 0,35	7,62	± 0,35
03	21,36	± 0,35	15,24	± 0,35
04	28,98	± 0,35	22,86	± 0,35
05	36,60	± 0,35	30,48	± 0,35
06	44,22	± 0,35	38,10	± 0,35
07	51,84	± 0,35	45,72	± 0,35
08	59,46	± 0,35	53,34	± 0,35
09	67,08	± 0,35	60,96	± 0,35
10	74,70	± 0,35	68,58	± 0,35
11	82,32	± 0,35	76,20	± 0,35
12	89,94	± 0,35	83,82	± 0,35
13	97,56	± 0,35	91,44	± 0,35
14	105,18	± 0,35	99,06	± 0,35
15	112,80	± 0,35	106,68	± 0,35
16	120,42	± 0,35	114,30	± 0,35
17	128,04	± 0,36	121,92	± 0,36
18	135,66	± 0,37	129,54	± 0,37
19	143,28	± 0,38	137,16	± 0,38
20	150,90	± 0,39	144,78	± 0,39
21	158,52	± 0,40	152,40	± 0,40
22	166,14	± 0,41	160,02	± 0,41
23	173,76	± 0,42	167,64	± 0,42
24	181,38	± 0,43	175,26	± 0,43


Screwless Terminal Block

Part No.: **A11R016**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

Customer:

EDCON-COMPONENTS



Ordering Informations


Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11R016	02	GY	N	N	R	B				

Pitch
7,62

02= Number of Pos. Standard 2~24 Pos.	GY= Gray (Standard) GN= Green OR= Orange BK= Black	N= No Approval 1= Approval for Material 2= Approval for Terminal Block	N= NON Approval A= UL /UR Approval Please consult EDCON for available B= VDE Approval Please consult EDCON for available C= TÜV Approval Please consult EDCON for available	R= ROHS Conform N= NON ROHS Conform	B= Standard Package I= Individual Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
---	---	---	--	--	--	--------------------------------	---


Screwless Terminal Block	
Part No.:	A11R016
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11R016**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

