

Data Sheet

Screwless Terminal Block

Pitch: 7,62 mm

Serie: A11R017

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Description

Drawing (Dimension in mm)

Electrical

Standard
 Rated voltage
 Rated current
 Wire range
 Withstanding voltage

UL	IEC
300V	450V, 750V, 1000V
15A	17A
28-12 AWG	0.2-2.5mm ²
AC2000V/1Min	

Mechanical

Wire strip length
 Operating temperature

5 ~ 6mm
 -40°C ~ +105°C

Dimensions



Pitch
 Poles

7.62mm
 1P - xxP

Material

Housing
 Pin header
 Wire guard

PA66 (UL94V-0)
 Phosphor Bronze, Tin plated
 Stainless steel



Screwless Terminal Block

Part No.: **A11R017**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)



No. of Pos.	A	Tol. P	B	Tol. P
02	16,24	± 0,35	7,62	± 0,35
03	23,86	± 0,35	15,24	± 0,35
04	31,48	± 0,35	22,86	± 0,35
05	39,10	± 0,35	30,48	± 0,35
06	46,72	± 0,35	38,10	± 0,35
07	54,34	± 0,35	45,72	± 0,35
08	61,96	± 0,35	53,34	± 0,35
09	69,58	± 0,35	60,96	± 0,35
10	77,20	± 0,35	68,58	± 0,35
11	84,82	± 0,35	76,20	± 0,35
12	92,44	± 0,35	83,82	± 0,35
13	100,06	± 0,35	91,44	± 0,35
14	107,68	± 0,35	99,06	± 0,35
15	115,30	± 0,35	106,68	± 0,35
16	122,92	± 0,35	114,30	± 0,35
17	130,54	± 0,36	121,92	± 0,36
18	138,16	± 0,37	129,54	± 0,37
19	145,78	± 0,38	137,16	± 0,38
20	153,40	± 0,39	144,78	± 0,39
21	161,02	± 0,40	152,40	± 0,40
22	168,64	± 0,41	160,02	± 0,41
23	176,26	± 0,42	167,64	± 0,42
24	183,88	± 0,43	175,26	± 0,43

Screwless Terminal Block

Part No.: **A11R017**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

Customer:

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11R017	02	GY	N	N	R	B				

Pitch:
7,62

02= Number of Pos. Standard 2~24 Pos.	GY= Gray (Standard) GN= Green OR= Orange BK= Black	N= No Approval 1= Approval for Material 2= Approval for Terminal Block	N= NON Approval A= UL /UR Approval Please consult EDCON for available B= VDE Approval Please consult EDCON for available C= TÜV Approval Please consult EDCON for available	R= ROHS Conform N= NON ROHS Conform	B= Standard Package I= Individual Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
---	---	---	--	--	--	--------------------------------	---


Screwless Terminal Block	
Part No.:	A11R017
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11R017**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

