

Data Sheet

Screwless Terminal Block

Pitch: 10,00 mm


Serie: A11T008

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard UL
 Rated voltage 300V
 Rated current 10A
 Solid / Stranded wire 2x (24-18) AWG
 Withstanding voltage 1.6KV

Mechanical


Wire strip length 6 ~ 7mm
 Ambient temperature -40°C ~ +115°C
 Soldering temperature 250°C ±10°C/5 sec

Dimensions

Pitch 10.00mm
 Poles 2P - 12P

Material

Housing Thermoplastic (UL94V-0)
 Pin header Brass, Tin plated
 Wire guard Stainless steel




Screwless Terminal Block

Part No.: **A11T008**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy			Sheet No.	1 from 4

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)




No. of Pos.	A	Tol. P	B	Tol. P
02	25,00	$\pm 0,35$	10,00	$\pm 0,35$
03	35,00	$\pm 0,35$	20,00	$\pm 0,35$
04	45,00	$\pm 0,35$	30,00	$\pm 0,35$
05	55,00	$\pm 0,35$	40,00	$\pm 0,35$
06	65,00	$\pm 0,35$	50,00	$\pm 0,35$
07	75,00	$\pm 0,35$	60,00	$\pm 0,35$
08	85,00	$\pm 0,35$	70,00	$\pm 0,35$
09	95,00	$\pm 0,35$	80,00	$\pm 0,35$
10	105,00	$\pm 0,35$	90,00	$\pm 0,35$
11	115,00	$\pm 0,35$	100,00	$\pm 0,35$
12	125,00	$\pm 0,35$	110,00	$\pm 0,35$

Screwless Terminal Block

Part No.: A11T008

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	Customer:

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
-------	-------------	------------	----------	---------------	------	---------	-----------------	------------------	--	--

A11T008	02	GY	N	N	R	B				
----------------	-----------	-----------	----------	----------	----------	----------	--	--	--	--


Pitch 10,00	02 = Number of Pos. Standard 2~12 Pos.	GY = Gray (Standard) GN = Green OR = Orange BK = Black	N = No Approval 1 = Approval for Material 2 = Approval for Terminal Block	N = NON Approval A = UL /UR Approval Please consult EDCON for available B = VDE Approval Please consult EDCON for available C = TÜV Approval Please consult EDCON for available	R = ROHS Conform N = NON ROHS Conform	B = Standard Package I = Individual Package	xxxxxx = Customer Number	xxx = Customer Version ??(Printing)		
----------------	--	---	--	--	--	--	---------------------------------	--	--	--

Screwless Terminal Block

Part No.: **A11T008**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11T008**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

