



# EDCON-COMPONENTS



## Drawing



## P.C.B. Layout



Pol	A[mm]
02	15.0
03	25.0
04	35.0
05	45.0
06	55.0
07	65.0
08	75.0
09	85.0
10	95.0
11	105.0
12	115.0
13	125.0
14	135.0

## Specification

### APPROVAL



#### Electrical

Standard	cULus
Rated voltage	300V
Rated current	15A
Wire range	26-14AWG

#### Mechanical

Ambient temperature	-40°C ~ +105°C
Torque	0.34Nm (3.0Lb-In.)

#### Dimensions

Pitch	10.00mm
Poles	2P - 14P

#### Material

Housing	PA66, UL94V-0
Pin header	Brass, Tin-plated
Screw	M2.6, steel, Nickel-plated
Wire guard	Stainless strip steel



### Certification



Wire Protector Terminal Block /  
Pitch 10.00mm

Part No.: A12T004

Customer:

DRW:	Bill	CHKD	Lord	MATL:	Jimmy	TOLERANCE	Sam	DATE	15.3.2009
APPD:	Louis			FINISH	Georg			Sheet No.	1 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS





## Ordering Informations

Serie	-	No. of Pole	Body-Color	-	wire protector	-	Screw	-	Customer Request
<b>A12T004</b>	-	<b>XX</b>	<b>XX</b>	-	<b>X</b>	-	<b>X</b>	-	<b>X</b>

XX = total	<b>WH</b> - white
02P	<b>GN</b> - green
...	<b>GR</b> - gray
14P	<b>LG</b> - light gray
	<b>PG</b> - Phoenix Green
	<b>OR</b> - orange
	<b>BL</b> - blue
	<b>BK</b> - black

1 - with wire protector  
2 - without wire protector

A - Slotted screw  
B - Cross-slotted screw (standard)



[Certification](#)



Wire Protector Terminal Block /  
Pitch 10.00mm

Part No.: A12T004

Customer:

DRW:	Bill	CHKD	Lord	MATL:	Jimmy	TOLERANCE	Sam	DATE	15.3.2009
APPD:	Louis			FINISH	Georg			Sheet No.	2 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



## Soldering - Profil

Classification Reflow Profile (JEDEC J-STD-020C)



Wire Protector Terminal Block /  
Pitch 10.00mm

Part No.: A12T004

DRW:	Bill	CHKD	Lord	MATL:	Jimmy	TOLERANCE	Sam	DATE	15.3.2009
APPD:	Louis			FINISH	Georg		Sheet No.	3 from 3	

Customer: