

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Electrical Ranges	UL	IEC
Voltage		
Current		
Wire Size	28-12AWG	0,2-4mm ²
Rated Surge Voltage		8KV
Contamination class		3
Stripping length		9mm
Insulation Material		PA
Flamm Class		V-0

**DIN Rail Ground Screwless
Terminal Block 4mm²**

Part No.: **A30020**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.03.2013	Customer:
APPD:	Schumi			FINISH	Jamy			Sheet No.	1 from 2	

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Special function	ROHS	Packing	EDCON Cust. No.	Customer Version			
A30020	01	YG	0	R	BX	xxxxxx	xxx			

01 = Number of Pos. Standard 1 Pos.	YG = Yellow / Green	0 = no special function	R = ROHS Conform N = NON ROHS Conform	BX = Box Packing IV = Individual Package	xxxxxx = Customer Number	xxx = Customer Version ??(Printing)
-----------------------------------------------	----------------------------	--------------------------------	--------------------------------------------------------	-----------------------------------------------------------	---------------------------------	-----------------------------------------------

DIN Rail Ground Screwless Terminal Block 4mm²

Part No.: **A30020**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.03.2013
APPD:	Schumi			FINISH	Jamy			Sheet No.	2 from 2

Customer:

