

# EDCON-COMPONENTS



## Technical Discription

## Drawing (Dimension in mm)

### Electrical

Electrical Ranges	UL	IEC
Voltage		
Current		
Wire Size	24-6AWG	0,2-16mm <sup>2</sup>
Rated Surge Voltage	8KV	
Contamination class	3	
Stripping length	17mm	
Insulation Material	PA	
Flamm Class	V-0	

**DIN Rail Ground Screwless  
Terminal Block 16mm<sup>2</sup>**

Part No.: **A30023**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.03.2013	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 2		

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. of Pos.	Body Color	Special function	ROHS	Packing	EDCON Cust. No.	Customer Version			
<b>A30023</b>	<b>01</b>	<b>YG</b>	<b>0</b>	<b>R</b>	<b>BX</b>	<b>xxxxxx</b>	<b>xxx</b>			

<b>01</b> = Number of Pos. Standard 1 Pos.	<b>YG</b> = Yellow / Green	<b>0</b> = no special function	<b>R</b> = ROHS Conform <b>N</b> = NON ROHS Conform	<b>BX</b> = Box Packing <b>IV</b> = Individual Package	<b>xxxxxx</b> = Customer Number	<b>xxx</b> = Customer Version ??(Printing)
-----------------------------------------------	----------------------------	--------------------------------	--------------------------------------------------------	-----------------------------------------------------------	---------------------------------	-----------------------------------------------

**DIN Rail Ground Screwless Terminal Block 16mm<sup>2</sup>**

Part No.: **A30023**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.03.2013
APPD:	Schumi			FINISH	Jamy			Sheet No.	2 from 2

Customer:

