



EDCON-COMPONENTS



Drawing inch / mm



16mm~19mm PC-Batterie CLIP

Material: Annealed Spring Steel
Surface: Tin Nickel Plate

Tolerances

Inch: ± 0.01
mm: ± 0.25
Angle: $\pm 2^\circ$

Unless otherwise specified

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.10.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

THT-PCB 18650 / 17500 / CR123A Batterie-Clip	
Part No.:	B38004
Customer:	

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS




Ordering Informations

PCB Layout inch/mm 18650 Battery-Type

Serie	Special function	Special Code	ROHS	Packing	
-------	------------------	--------------	------	---------	--

B38004	N	N	R	BU	
---------------	----------	----------	----------	-----------	--

N = No special function	N = No special function	R = ROHS Conform	BU = Bulk-Ware



Cell-size	"L" Dimension inch/mm
18650	1.89 / 48.00
CR123A	0,57 / 14,50
17500	1,218 / 30,90


THT-PCB 18650 / 17500 / CR123A Batterie-Clip	
Part No.:	B38004
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.10.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



THT-PCB 18650 / 17500 / CR123A Batterie-Clip	
Part No.:	B38004
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.10.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3