


EDCON-COMPONENTS



Technical Informations

Material: Nylon 66
 Flame Class: UL 94V-2 / V0
 Color: Natural / Black
 Temperature Range: . -40°C ~ +85°C

Dimension (mm)



We can make custom specifications

Ordering Code table

Order Code	A	B	C	D	L
A01	10,0	8,0	M5	M5	8,0
A02	10,0	8,0	M5	M5	9,0
A03	10,0	8,0	M5	M5	10,0
A04	10,0	8,0	M5	M5	11,0
A05	10,0	8,0	M5	M5	12,0
A06	10,0	8,0	M5	M5	13,0
A07	10,0	8,0	M5	M5	14,0
A08	10,0	8,0	M5	M5	15,0
A09	10,0	8,0	M5	M5	16,0
A10	10,0	8,0	M5	M5	17,0
A11	10,0	8,0	M5	M5	18,0
A12	10,0	8,0	M5	M5	19,0
A13	10,0	8,0	M5	M5	20,0
A14	10,0	8,0	M5	M5	21,0
A15	10,0	8,0	M5	M5	22,0
A16	10,0	8,0	M5	M5	23,0
A17	10,0	8,0	M5	M5	24,0
A18	10,0	8,0	M5	M5	25,0
A19	10,0	8,0	M5	M5	26,0
A20	10,0	8,0	M5	M5	27,0
A21	10,0	8,0	M5	M5	28,0
A22	10,0	8,0	M5	M5	29,0
A23	10,0	8,0	M5	M5	30,0
A24	10,0	8,0	M5	M5	31,0
A25	10,0	8,0	M5	M5	32,0
A26	10,0	8,0	M5	M5	33,0
A27	10,0	8,0	M5	M5	34,0

Order Code	A	B	C	D	L
A28	10,0	8,0	M5	M5	35,0
A29	10,0	8,0	M5	M5	36,0
A30	10,0	8,0	M5	M5	37,0
A31	10,0	8,0	M5	M5	38,0
A32	10,0	8,0	M5	M5	39,0
A33	10,0	8,0	M5	M5	40,0
A34	10,0	8,0	M5	M5	41,0
A35	10,0	8,0	M5	M5	42,0
A36	10,0	8,0	M5	M5	43,0
A37	10,0	8,0	M5	M5	44,0
A38	10,0	8,0	M5	M5	45,0
A39	10,0	8,0	M5	M5	46,0
A40	10,0	8,0	M5	M5	47,0
A41	10,0	8,0	M5	M5	48,0
A42	10,0	8,0	M5	M5	49,0
A43	10,0	8,0	M5	M5	50,0
A44	10,0	8,0	M5	M5	51,0
A45	10,0	8,0	M5	M5	52,0
A46	10,0	8,0	M5	M5	53,0
A47	10,0	8,0	M5	M5	54,0
A48	10,0	8,0	M5	M5	55,0
A49	10,0	8,0	M5	M5	56,0

**Metric Hexagonal Male/Female
Nylon Threaded Spacer M5**

Part No.: **N14215**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.02.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

EDCON-COMPONENTS



Ordering Code table

Order Code	A	B	C	D	L
A50	10,0	8,0	M5	M5	57,0
A51	10,0	8,0	M5	M5	58,0
A52	10,0	8,0	M5	M5	59,0
A53	10,0	8,0	M5	M5	60,0
A54					
A55					
A56					
A57					
A58					
A59					
A60					
A61					
A62					
A63					
A64					
A65					
A66					
A67					
A68					
A69					
A70					
A71					
A72					
A73					
A74					
A75					
A76					

Order Code	A	B	C	D	L
A77					
A78					
A79					
A80					
A81					
A82					
A83					
A84					
A85					
A86					
A87					
A88					
A89					
A90					
A91					
A92					
A93					
A94					
A95					
A96					
A97					
A98					
A99					
B01					
B02					
B03					
B04					

Order Code	A	B	C	D	L
B05					
B06					
B07					
B08					
B09					
B10					
B11					
B12					
B13					
B14					
B15					
B16					
B17					
B18					
B19					
B20					
B21					
B22					
B23					
B24					
B25					
B26					
B27					

**Metric Hexagonal Male/Female
Nylon Threaded Spacer M5**

Part No.: **N14215**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.02.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3

EDCON-COMPONENTS



Ordering Informations

Serie	Order Code	Material	Color	ROHS	Packing					
N14215	A01	NY	WH	R	BU					

A01 = Look orde table	NY = Nylon 66	WH = White	R = ROHS Conform	BU = Bulk-Ware			
		BK = Black	N = NON ROHS Conform	IV = Individual Packing			

Metric Hexagonal Male/Female Nylon Threaded Spacer M5	
Part No.:	N14215
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.02.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3