





EDCON-COMPONENTS



Technical Discription

Cap Type: Bajonett
 Insulation Resistance: 100M Ω / Min 500VDC
 Contact Resistance: 5m Ω @ 1A DC
 Dielectric Strength: AC 1500V for min. 60Sec.
 Rated Current: 16A
 Rated Voltage: 250VAC
 Fuse Type/Size: 6,4x30mm
 Protection Degree: IP40
 Material: PBT

Drawing



Approvals



THT PCB Fuse Holder Side-Entry

Part No.: **R53031**

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	06.03.2025	Customer:
APPD:	Schumi			FINISH:	Jamy		Sheet No.	1 from 3		

www.edcon-components.com

email: info@edcon-components.com

Copyright by S.Tiede

EDCON-COMPONENTS



Ordering Informations

Serie	Body Colour	Spezial Function	ROHS	Packing						
R53031	BK	0	R	BU						

BK = Black	0 = No function	R = ROHS Conform	BU = Bulk- Ware

**THT PCB Fuse Holder Side-
Entry**

Part No.: **R53031**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.03.2025
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



THT PCB Fuse Holder Side-Entry

Part No.: **R53031**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	06.03.2025
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	