




# EDCON-COMPONENTS




## Specifications

Voltage Rating:	250 V AC/DC
Current Rating:	7A AC/DC
Operating Temperature:	-25°C to + 85°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	1500 V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 66 / UL94V-0
Pin-Material:	Brass /Tin-plated
Body Color:	Natural ( Translucent)

## Drawing ( dimensions all into mm)



## P.C.B. Layout



Wafer Serie T68Jxxxx Pitch  
3,96mm


Part No.: **T68J026**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4



# EDCON-COMPONENTS



## Ordering Informations

Serie	Number of Pos.	Leg function	Color of Body	Packing						
-------	----------------	--------------	---------------	---------	--	--	--	--	--	--

<b>T68J026</b>	<b>02</b>	<b>N</b>	<b>WH</b>	<b>BU</b>						
----------------	-----------	----------	-----------	-----------	--	--	--	--	--	--


xx = Pos.	N= without King	WH= White	BU= Bulk - Ware						

Wafer Serie T68Jxxxx Pitch 3,96mm
Part No.: <b>T68J026</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4


[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wafer Serie T68Jxxxx Pitch 3,96mm
Part No.: <b>T68J026</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	