




EDCON-COMPONENTS



Specifications


Voltage Rating:
 Current Rating:
 Operating Temperature: . -25°C to + 85°C
 Contact Resistance:
 Withstanding Voltage: 1000 V AC/Minute
 Insulation Resistance: 1000MΩ min.
 Material Housing: Nylon 66 / UL94V-2
 Case Color: Black + Blue

Drawing (dimensions all into mm)



Housing Serie T68N319 Pitch 2,54mm	
Part No.:	T68N319
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.05.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	



Dimension Information about Housing


Pos.	Dimension (mm)					
	A	B	C	D	E	F
2	2,54	7,10	5,60			
4	7,62	12,20	10,68			
6	12,70	17,30	15,76			
8	17,78	22,30	20,84			
10	22,86	27,38	25,92			
12	27,94	32,46	31,00			
15	35,56	41,08	38,62			
22	53,34	58,86	56,40			

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Housing Serie T68N319 Pitch 2,54mm	
Part No.:	T68N319
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.05.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Color of Body	Packing							
T68N319	02	BK	BU							
xx = Pos.	BK= Black	BU= Bulk Packing								
	BL= Blue									

Housing Serie T68N319 Pitch 2,54mm	
Part No.:	T68N319
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.05.2013
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	