



Technical Discription of cable assembly / Ordering Information

Serie	Customer No.	No of Cable Position	Contruction Type	Length of Cable (L)	Version from Customer	ROHS	Packing			
T99010	1xxxxx	10	A1	101	V1	R	BU			


Customer No. by EDCON	10= 10Pos.of te Cable we can Offer 06~64 Pos.	A1	Examble 101= 100mm	V1= is the first Version from Customer specified	R= ROHS Conform N= NON ROHS Conform	BU= Bulk-Ware into Polybag IN= Customer specified	
		B1	Examble 251= 250mm				
		A2	The length can specified by yourself				
		B2					
		A3					
		B3					
		A4					
		B4					
		A5	A7				
		B5	B7				
A6	A8						
B6	B8						

Customer	150422		
Date of Drawing	23.11.2010		






Technical Drawing

Typ A1 or B1



Typ A2 or B2




Customer	150422		
Date of Drawing	23.11.2010		






Technical Drawing

Typ A3 or B3



Typ A4 or B4




Customer	150422		
Date of Drawing	23.11.2010		






Technical Drawing

Typ A5 or B5



Typ A6 or B6




Customer	150422		
Date of Drawing	23.11.2010		






Technical Drawing

Typ A7 or B7



Typ A8 or B8



Customer	150422		
Date of Drawing	23.11.2010		