



Technical Specification

Features


Structure of electronic to prevent wasteful electric power consumption.

The RH type bead cores are mainly produced for the cable wire assemblers and MATV CATV makers.

Applications

Personal Computers, communications equipment, electronic games machine, CRTs, Hard disk drive, Printers, High current DC lines and other computer peripheral products.

Dimensions



Dimensions of Core		
Outside A (mm)	Length B (mm)	Inside C (mm)
9,5mm ± 0,15mm	14,5mm ± 0,30mm	5,0mm ± 0,15mm

RH Ferrit 9,5x14,5x4,8mm

Serie No.: **G32092**

Customer:


DRW:	Johnny	CHKD	Carlo	MATL:	Wor	DATE	27.07.2014
APPD:	Elva			FINISH	Vienna	Sheet	1 from 2

Copyright by S.Tiede



Typical Impedance v.s. Frequency Curve:

K5B RH 9.5x14.5x5



Ordering Information

Serie	Material	ROHS	Packing
G32092	K5B	R	TY

	R= ROHS conform	BU101= Bulk Ware
	N=NON ROHS conform	
K5B= Type of Material		TY= Tray Packing

RH Ferrit 9,5x14,5x4,8mm	
Serie No.:	G32092
Customer:	

DRW:	Johnny	CHKD	Carlo	MATL:	Wor	DATE	27.07.2014
APPD:	Elva			FINISH	Vienna	Sheet	2 from 2

Copyright by S.Tiede