

Data Sheet

45° Wafer w/o mounting Flange

Pitch: 5,00 mm

Serie: A14L060

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0


EDCON-COMPONENTS



Technical Discription

Electrical	UL	IEC
Rated Voltage	300Volt	320Volt
Rated Current	15A	20A
Mechanical		
Withstanding Voltage	AC 2500V/1min.	
Insulation Resistance		
Operating Temperature	. -40°C ~ +115°C	
Dimensions		
Pitch (mm)	5,00	
Poles	2 ~ 24 Pos.	
Materials		
Terminal Housing	PA66 Thermoplastic, UL94V-0	
Pin Header	Brass Tin Plated	

Drawing (Dimension in mm)



**45° Wafer w/o mounting
Flange**

Part No.: **A14L060**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.01.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

www.edcon-components.com


email: info@edcon-components.com

EDCON-COMPONENTS



PCB Layout

Dimensions (mm)



No. of Pos.	A	Tol. A	B	Tol. B
02	10,00	± 0,15	5,00	± 0,15
03	15,00	± 0,15	10,00	± 0,15
04	20,00	± 0,15	15,00	± 0,15
05	25,00	± 0,15	20,00	± 0,15
06	30,00	± 0,15	25,00	± 0,15
07	35,00	± 0,20	30,00	± 0,20
08	40,00	± 0,20	35,00	± 0,20
09	45,00	± 0,20	40,00	± 0,20
10	50,00	± 0,20	45,00	± 0,20
11	55,00	± 0,20	50,00	± 0,20
12	60,00	± 0,20	55,00	± 0,20
13	65,00	± 0,25	60,00	± 0,25
14	70,00	± 0,25	65,00	± 0,25
15	75,00	± 0,25	70,00	± 0,25
16	80,00	± 0,25	75,00	± 0,25
17	85,00	± 0,25	80,00	± 0,25
18	90,00	± 0,25	85,00	± 0,25
19	95,00	± 0,30	90,00	± 0,30
20	100,00	± 0,30	95,00	± 0,30
21	105,00	± 0,30	100,00	± 0,30
22	110,00	± 0,30	105,00	± 0,30
23	115,00	± 0,30	110,00	± 0,30
24	120,00	± 0,30	115,00	± 0,30

**45° Wafer w/o mounting
Flange**

Part No.: **A14L060**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.01.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	No Function	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
-------	-------------	------------	-------------	---------------	------	---------	-----------------	------------------	--	--

A14L060	XX	PG	N	N	R	B				
----------------	-----------	-----------	----------	----------	----------	----------	--	--	--	--

Pitch 5,00										
---------------	--	--	--	--	--	--	--	--	--	--

	PG= Phoenix Green (Standard)	N= No function	N= NON Approval	R= ROHS Conform	B= Bulk-Ware	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
Standard 2 ~ 24Pos.	WH= White		A= UL /UR Approval Please consult EDCON for available	N= NON ROHS Conform	I= Individual Package		
	GN= Green						
	GY= Gray						
	LG= Light Gray						
	OR= Orange						
	BL= Blue						
	BK= Black		C= TÜV Approval Please consult EDCON for available				

45° Wafer w/o mounting Flange

Part No.: **A14L060**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.01.2018
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 4

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



45° Wafer w/o mounting Flange	
Part No.:	A14L060
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	17.01.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	