

EDCON-COMPONENTS




Specifications


Current Rating:	1A min.
Contact Resistance:	Tin plate 20m Ohm max. Gold Plate 10m Ohm max.
Insulation Resistance:	5000 M Ohm min 500 VDC
Temperatur Range:	-.55°C ~ +85°C
Withstand Voltage:	AC 1000V (1min.)
Insertion Force:	140 grams +/- 10 gr.
Withdrawal Force:	75 grams +/- 5gr.

Material


Indulator:	Glass-filled PBT (UL94V-0)
Contact:	Phosphor Bronze, Tin Plated (Gold Plated available) MOQ on request. for Gold Plated



UNIT: INCH
MM



(S Type)



LOW COST IC SOCKET
Smal Type

Part No.: **T89001**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2008
APPD:	Jim			FINISH	Jamy		Sheet No.		1 from 4

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Technical Dimensions Table 2

Circuit / Position	6	8	14	16	18	20	22	24	28	32
Dimension A (mm) +/- 0,2	7,62	10,16	17,78	20,32	22,86	25,40	27,94	30,48	35,56	40,64
Dimension B (mm) +/- 0,2	5,08	7,62	15,24	17,78	20,32	22,86	25,4	27,94	33,02	38,10
Dimension C (mm) +/- 0,2	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00
Dimension D (mm) +/- 0,2	7,62	7,62	7,62	7,62	7,62	7,62	7,62	7,62	7,62	7,62

**LOW COST IC SOCKET
Smal Type**

Part No.: **T89001**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2008
APPD:	Jim			FINISH	Jamy		Sheet No.		2 from 4

Customer:
email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Pos.	Contact	ROHS	PACKING						
T89001	06	T	R	TU						

look Table Page 2	T= Tin Plated (Standard)	R= ROHS conform	TU= TUBE PACKING
	G= Gold Flash Plated MOQ on request	N= Non ROHS	

**LOW COST IC SOCKET
Sml Type**

Part No.: **T89001**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2008
APPD:	Jim			FINISH	Jamy		Sheet No.		3 from 4

Customer:


www.edcon-components.com

email: info@edcon-components.com




Soldering Profiles

Soldering Profile for Lead Soldering



Soldering Profile for Lead Free Soldering



LOW COST IC SOCKET
Smal Type

Part No.: **T89001**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2008
APPD:	Jim			FINISH	Jamy		Sheet No.	4 from 4	

Customer: