

Data Sheet

Tripple Row Elevated Terminal Block Pitch 3,81mm

Pitch: 3,81 mm

Serie: A13H007

Customer Information for special Item

EDCON Customer : xxxxxx

Customer Version No. : xx

EDCON-COMPONENTS



Technical Discription

Electrical:

Rated voltage:

Rated current:

Withstanding Voltage: AC/1min:

Operating Temperature:

UL	IEC	VDE
300V		
10A		
1600V		
-40°C ~ +115°C		

Mechanical:

Strip length: mm

Wire range: Solid wire: AWG

Wire range: Stranded wire:AWG

5 ~ 6		
16-24		
16-24		

Material:

Housing Terminal Body:

Material Screw:

Material Terminal:

Clamp:

Wire Guard Solder Pin

Thermoplastik UL94V-0



Stainless steel

Copper Matte Tin plated over Nickel

Brass Ni Plated

Brass Tin Plated

Drawing (Dimension in mm)



Item No.		
1		
2		
3		
4		
5		
6		
7		
8		
9		

Tolerances unless otherwise specified (mm)				
x	x.x	x.xx	x.xxx	Angle
±0,50	±0,30	±0,1	±	±3°

Tripple Row Elevated Terminal Block Pitch 3,81mm

Part No.: **A13H007**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.03.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

Customer:

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Srew Type	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A13H007	06	PG	A	N	R	B	xxxxxx	xx		

Pitch
3,81

06= Number of Pos. Standard 06 ~ 72Pos.	PG= Phoenix Green (Standard)		N= NON Approval 1= UL-Approval for Body Material	R= ROHS Conform N= NON ROHS Conform	B= Standard Package Box/ Polybag I= Individual Package	xxxxxx= Customer Number	xx= Customer Version (Printing) ??
		A= Screw- Type SLIT	A= UL /UR Approval Please consult EDCON for available				
		B= Screw- Type CROSS-SLIT	B= VDE Approval Please consult EDCON for available				
			C= TÜV Approval Please consult EDCON for available				

Tripple Row Elevated Terminal Block Pitch 3,81mm

Part No.: **A13H007**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.03.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Tripple Row Elevated Terminal
Block Pitch 3,81mm

Part No.: **A13H007**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.03.2018
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

Customer:

