





EDCON-COMPONENTS



Specifications

Voltage Rating:	250 V AC/DC
Current Rating:	7A AC/DC
Operating Temperature:	-25°C to +85°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	1500 V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 66 / UL94V-2
Case Color:	Natural / Milky

Drawing (dimensions all into mm)




Housing Serie T68Dxxx Pitch 5,08mm	
Part No.:	T68D005
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Color of Body	Style	Packing						
T68D005	02	NA	T1	BU						
xx = Pos.	NA= Natural	T1= Housing Type 1	BU= Bulk Packing							
	WH= White	T2= Housing Type 2								

Housing Serie T68Dxxx Pitch 5,08mm	
Part No.:	T68D005
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

www.edcon-components.com

email: info@edcon-components.com