




EDCON-COMPONENTS



Specifications

Voltage Rating:	100 V AC/DC
Current Rating:	1A AC/DC
Operating Temperature:	-25°C to + 85°C
Contact Resistance:	20 mΩ
Withstanding Voltage:	500 V AC/Minute
Insulation Resistance:	500MΩ min.
Material Housing:	Nylon 66 / UL94V-0
Color:	Natural / (White)

Drawing (dimensions all into mm)




**Housing Serie T68Kxxx Pitch
1,50mm**

Part No.: **T68K010-**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.12.2021
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Color of Body	ROHS	Packing						
-------	----------------	---------------	------	---------	--	--	--	--	--	--

T68K010-	02	WH	R	BU						
-----------------	-----------	-----------	----------	-----------	--	--	--	--	--	--

xx = Pos.		R= ROHS Conform	BU= Bulk Packing							
	WH= White	N= NON ROHS Conform								

Housing Serie T68Kxxx Pitch 1,50mm

Part No.: **T68K010-**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	14.12.2021
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 3

Customer: