




# EDCON-COMPONENTS





## Specifications

Voltage Rating:	100 V AC/DC
Current Rating:	1A AC/DC
Operating Temperature:	-25°C to +85°C
Contact Resistance:	20 mΩ
Withstanding Voltage:	500 V AC/Minute
Insulation Resistance:	500MΩ min.
Material Housing:	Nylon 66 / UL94V-0
Color:	Natural / (White)

## Drawing ( dimensions all into mm)



Circuit 1



**Housing Serie T68Kxxx Pitch 1,50mm**


Part No.: **T68K016**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	



# EDCON-COMPONENTS



## Ordering Informations

Serie	Number of Pos.	Color of Body	Packing							
<b>T68K016</b>	<b>02</b>	<b>NA</b>	<b>BU</b>							
<b>xx = Pos.</b>	<b>NA= Natural</b>	<b>BU= Bulk Packing</b>								
	<b>WH= White</b>									

<b>Housing Serie T68Kxxx Pitch 1,50mm</b>
Part No.: <b>T68K016</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	