






EDCON-COMPONENTS



Specifications


Voltage Rating:	250 V AC/DC
Current Rating:	4A AC/DC
Operating Temperature:	-25°C to +85°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	1000 V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 66 / UL94V-2
Body Color:	Natural (White)

Drawing (dimensions all into mm)



Housing Serie T68Nxxx Pitch 2,54mm	
Part No.:	T68N308
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	



Dimension Information about Housing


Pos.	Dimension (mm)					
	A	B	C	D	E	F

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Housing Serie T68Nxxx Pitch 2,54mm	
Part No.:	T68N308
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Color of Body	Packing							
T68N308	04	WH	BU							
04 = only Pos.	WH= White	BU= Bulk Packing								

Housing Serie T68Nxxx Pitch 2,54mm
Part No.: T68N308
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	