



EDCON-COMPONENTS





Specifications

Voltage Rating: 250 V AC/DC
 Current Rating: 4A AC/DC
 Operating Temperature: . -25°C to + 85°C
 Contact Resistance: 10 mΩ
 Withstanding Voltage: 1000 V AC/Minute
 Insulation Resistance: 1000MΩ min.
 Material Housing: Nylon 66 / UL94V-0
 Pantone Case Color: 7506C




Drawing (dimensions all into mm)



Housing Serie T68Nxxx Pitch 2,54mm	
Part No.:	T68N309-
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.08.2022
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Color of Body	Packing							
-------	----------------	---------------	---------	--	--	--	--	--	--	--

T68N309-	02	GY	BU							
-----------------	-----------	-----------	-----------	--	--	--	--	--	--	--

xx = Pos.	GY= Gray	BU= Bulk Packing								

Housing Serie T68Nxxx Pitch 2,54mm
Part No.: T68N309-
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	01.08.2022
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3