


EDCON-COMPONENTS





Specifications


Voltage Rating:	250 V AC/DC
Current Rating:	4A AC/DC
Operating Temperature:	-25°C to +85°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	1000 V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 66 / UL94V-2
Pin-Material:	Brass / Tin-plated
Pantone Color of Body:	7523 C




Drawing (dimensions all into mm)



P.C.B. Layout



Circuit 1




Wafer Serie T68Nxxxx Pitch
2,54mm

Part No.: **T68N315**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	



Dimension Information about Housing


Pos.	Dimension (mm)					
	A	B	C	D	E	F
03	5,08	7,62				
04	7,62	10,16				

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Wafer Serie T68Nxxxx Pitch 2,54mm
Part No.: T68N315
Customer:

DRW: Jason	CHKD: Wilson	MATL: Wilson	TOLERANCE: Mason	DATE: 02.04.2009
APPD: Schumi	FINISH: Jamy	Sheet No.:	2 from 4	

EDCON-COMPONENTS



Ordering Informations


Serie	Number of Pos.	Leg function	Color of Body	Packing						
-------	----------------	--------------	---------------	---------	--	--	--	--	--	--

T68N315	xx	N	BN	BU						
----------------	-----------	----------	-----------	-----------	--	--	--	--	--	--

xx = Pos.	N= without King	BN= Brown	BU= Bulk-ware						


Wafer Serie T68Nxxxx Pitch 2,54mm
Part No.: T68N315
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wafer Serie T68Nxxxx Pitch
2,54mm

Part No.: **T68N315**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	Customer: