





EDCON-COMPONENTS



Specifications

Voltage Rating:	250 V AC/DC
Current Rating:	3A AC/DC
Operating Temperature:	-25°C to +85°C
Contact Resistance:	20 mΩ
Withstanding Voltage:	1000 V AC/Minute
Insulation Resistance:	500MΩ min.
Material Housing:	PBT / UL94V-0
Body Color:	Black


Drawing (dimensions all into mm)



Housing Serie T68Pxxxx Pitch 2,50mm	
Part No.:	T68P046
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Color of Body	Packing							
T68P046	02	BK	BU							
xx = Pos.	BK= Black	BU= Bulk Packing								

Housing Serie T68Pxxxx Pitch 2,50mm
Part No.: T68P046
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

www.edcon-components.com

email: info@edcon-components.com