


EDCON-COMPONENTS




Specifications

Voltage Rating: 250 V AC/DC
 Current Rating: 3A AC/DC
 Operating Temperature: -25°C to + 85°C
 Contact Resistance: 10 mΩ
 Withstanding Voltage: 1500 V AC/Minute
 Insulation Resistance: 500MΩ min.
 Material Housing: Nylon 66 / UL94V-0

Pin-Material: Brass /Tin-plated
 Color of Base: Nylon 66 UL94V-0


Drawing (dimensions all into mm)



| | |
|----------------------------------|----------------|
| Wafer Serie T68Pxxx Pitch 2,50mm | |
| Part No.: | T68P062 |
| Customer: | |

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 26.05.2011 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | | 1 from 4 |

EDCON-COMPONENTS



Ordering Informations

| Serie | Number of Pos. | Leg Function | Color of Body | Contact Plating | ROHS | Packing | | | | |
|-------|----------------|--------------|---------------|-----------------|------|---------|--|--|--|--|
|-------|----------------|--------------|---------------|-----------------|------|---------|--|--|--|--|

| | | | | | | | | | | |
|----------------|----|-----------|----------|-----------|-----------|----------|-----------|--|--|--|
| T68P062 | -- | 02 | N | WH | TN | R | BU | | | |
|----------------|----|-----------|----------|-----------|-----------|----------|-----------|--|--|--|


| | | | | | | | | | |
|------------------|------------------------|------------------|-----------------------|----------------------------|----------------------|--|--|--|--|
| xx = Pos. | N= without Kink | WH= White | TN= Tin plated | R= Rohs Conform | BU= Bulk Ware | | | | |
| | | | | N= NON Rohs Conform | | | | | |

| |
|----------------------------------|
| Wafer Serie T68Pxxx Pitch 2,50mm |
| Part No.: T68P062 |
| Customer: |

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-------|-----------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 26.05.2011 |
| APPD: | Schumi | | | FINISH | Jamy | | | Sheet No. | 3 from 4 |

www.edcon-components.com

email: info@edcon-components.com



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



| |
|-------------------------------------|
| Wafer Serie T68Pxxx Pitch 2,50mm |
| Part No.: T68P062 |
| Customer: |

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 26.05.2011 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | 4 from 4 | |