



# EDCON-COMPONENTS




## Specifications

Voltage Rating:	125 V AC/DC
Current Rating:	3A AC/DC
Operating Temperature:	-25°C to + 85°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	800 V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 66 / UL94V-0
Color:	Natural / ( White)



## Drawing ( dimensions all into mm)



04,06,08 Pos.



10 ~ 40 Pos.




Housing Serie T68Txxxx Pitch  
2,00mm

Part No.: **T68T034**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

# EDCON-COMPONENTS



## Dimension Information about Housing


Pos.	Dimension (mm)					
	A	B	C	D	E	F
04 (2x02)	2,00	5,90				
06 (2x03)	4,00	7,90				
08 (2x04)	6,00	9,90				
10 (2x05)	8,00	11,90				
12 (2x06)	10,00	13,90				
14 (2x07)	12,00	15,90				
16 (2x08)	14,00	17,90				
18 (2x09)	16,00	19,90				
20 (2x10)	18,00	21,90				
22 (2x11)	20,00	23,90				
24 (2x12)	22,00	25,90				
26 (2x13)	24,00	27,90				
28 (2x14)	26,00	29,90				
30 (2x15)	28,00	31,90				
32 (2x16)	30,00	33,90				
34 (2x17)	32,00	35,90				
36 (2x18)	34,00	37,90				
38 (2x19)	36,00	39,90				
40 (2x20)	38,00	41,90				

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Housing Serie T68Txxxx Pitch 2,00mm
Part No.: <b>T68T034</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy			Sheet No.	2 from 3

# EDCON-COMPONENTS



## Ordering Informations

Serie	Number of Pos.	Color of Body	Packing							
<b>T68T034</b>	<b>04</b>	<b>WH</b>	<b>BU</b>							
<b>xx = Pos.</b>	<b>WH= White</b>	<b>BU= Bulk Packing</b>								

Housing Serie T68Txxxx Pitch 2,00mm
Part No.: <b>T68T034</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)