

EDCON-COMPONENTS




Technical Discription

Drawing

EDCON-COMPONENTS Fuse Holders features for easy removal, clearly printed / imprinted "FUZE" for easy panel identification and keyed mounting hole requirement for anti rotation safety. All fuse holders include mounting washer and solder lugs for wiring.

Rated Current	6A / 250VAC
Insulation Resistance at 500VDC	100MΩ Min.
Contact Resistance	5mΩ @ 1A DC
Dielectric Strength for 60seconds	AC1500V Min.
Material:	Spring Brass
Material Plating:	Silver Plated
Body:	Flame retard plastic



Approvals

No Approval

**PCB Fuse Holder for
5,2x20mm**

Part No.: **R53006**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	18.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	Customer:

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Range	Body Color	ROHS	Packing						
-------	-------	------------	------	---------	--	--	--	--	--	--

R53006	-	A	N	R	BU					
---------------	---	----------	----------	----------	-----------	--	--	--	--	--

A= 6A	N= Green	R= ROHS Conform	BU= Bulk-Ware
	G= Dark Gray		IV= Individual Package

PCB Fuse Holder for 5,2x20mm	
Part No.:	R53006
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	18.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



PCB Fuse Holder for 5,2x20mm	
Part No.:	R53006
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	18.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	