

EDCON-COMPONENTS




Specifications

| | |
|------------------------|-----------------------------------|
| Switch Rating: | 2A/36VDC |
| Contact Configuration: | 1NO |
| Operating Type: | Momentary 1NO (1NC Made by Order) |
| IP-Degree: | IP65 |
| Crust Material: | Stainless Steel |
| Terminal Type: | Screw Terminal |
| Switching: | ON (Momentary) |
| Contact Resistance: | ≤ 50mΩ |
| Insulation Resistance: | ≥ 1000MΩ |
| Dielectric Strength: | 2000VAC |
| Operating Temperature: | . -20°C ~ +55°C |
| Mechanical Life: | 1.000.000 cycles |
| Electrical Life: | 200.000 cycles |
| Panel Thickness: | 1 ~ 10mm |
| Torque: | 5 ~ 14Nm |
| Operating Pressure: | About 4N |
| Operating Distance: | About 1,8Nm |

Material

| | |
|--------------|---|
| Contact: | Silver Alloy |
| Button: | Stainless Steel / Nickel Plated / Gold-Plated |
| Body: | Stainless Steel / Nickel Plated / Gold-Plated |
| Base: | PBT |
| ROHS: | Made to Order-Code |

Drawing



19MM Anti-Vandal-Switch

Part No.: **Q36017**

Customer:

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 20.08.2009 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | 1 from 3 | |

EDCON-COMPONENTS



Visual Effect of Surface



Nickel - plated brass
(Satin surface)




Stainless steel (Spiral surface)




Gold - plated brass (Satin surface)

Engraving Options




Order Code


A4




A3



A2




A1




Order Code


A8




A7



A6




A5




Order Code


B3




B2



B1




A9




Order Code


Bx



Bx



B5



B4

19MM Anti-Vandal-Switch

Part No.: **Q36017**

Customer:

| | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|------|------------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 20.08.2009 |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | | 2 from 3 |

EDCON-COMPONENTS



Ordering Informations

| Serie | Front Shape | Contact Structure | Lamp Type | Connect Type | Knob Color | Lamp Voltage | Crust Material | Engraving Options | ROHS | Packing Style |
|---------------|-------------|-------------------|-----------|--------------|------------|--------------|----------------|-------------------|----------|---------------|
| Q36017 | B | 10 | N | 2 | A | 0 | S | A1 | R | N |

| | | | | | | | | | |
|-----------------|----------------------------------|-----------------------|--------------------------|-----------------------|-------------------|---|--|--|--|
| B= Domed | 10= 1NO 20= 1NC | N= no Function | 2= Screw Terminal | A= No Function | 0= without | S= Stainless Steel N= Nickel Plated Brass G= Gold Plated Brass | XX= Look Order Code Engraving Options | R= ROHS Conform N= NON ROHS Conform | N= White Carton I= Individual Packing |
|-----------------|----------------------------------|-----------------------|--------------------------|-----------------------|-------------------|---|--|--|--|

19MM Anti-Vandal-Switch

Part No.: **Q36017**

| | | | | | | | | | | |
|-------|--------|------|--------|--------|--------|-----------|-----------|----------|------------|-----------|
| DRW: | Jason | CHKD | Wilson | MATL: | Wilson | TOLERANCE | Mason | DATE | 20.08.2009 | Customer: |
| APPD: | Schumi | | | FINISH | Jamy | | Sheet No. | 3 from 3 | | |