


# EDCON-COMPONENTS








## Specifications

Voltage Rating: 250VAC /DC  
 Current Rating 4,0AC / DC  
 Operating Temperature . -40°C ~ +130°C  
 Contact Resistance 20m Ω Max.  
 Withstanding Voltage 1000V AC/minute  
 Insulation Resistance 1000M Ω Min.

Material Insulator: Nylon UL94V-2 / UL94V-0  
 Material Pin Phosphor Bronze  
 Applicable Wire: AWG 24~18  
 Standard Color: Natural

## Drawing ( dimensions all into mm)




**Wire to Board Pitch 3,96mm  
 Alternative to Serie MASCONN**

Part No.: **T68J007**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.06.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

# EDCON-COMPONENTS



## Dimension Informations about Wafer


Pos.	Dimension (mm)					
	A	B	C	D	E	F
02	3,96	7,92				
03	7,92	11,88				
04	11,88	15,84				
05	15,84	19,80				
06	19,80	23,76				
07	23,76	27,72				
08	27,72	31,68				
09	31,68	35,64				
10	35,64	39,60				
11	39,60	43,56				
12	43,56	47,52				
13	47,52	51,48				
14	51,48	55,44				
15	55,44	59,40				
16	59,40	63,36				
17	63,36	67,32				
18	67,32	71,28				
19	71,28	75,24				
20	75,24	79,20				
21	79,20	83,16				
22	83,16	87,12				
23	87,12	91,08				
24	91,08	95,04				
25	95,04	99,00				

Pos.	Dimension (mm)					
	A	B	C	D	E	F
26	99,00	102,96				
27	102,96	106,92				
28	106,92	110,88				

<b>Wire to Board Pitch 3,96mm Alternative to Serie MASCONN</b>	
Part No.:	<b>T68J007</b>

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.06.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3		

# EDCON-COMPONENTS



## Ordering Informations

Serie	Positions	Body Color	AWG-xx	C- Plating	ROHS	Packing	Material			
<b>T68J007</b>	<b>02</b>	<b>NA</b>	<b>18</b>	<b>TN</b>	<b>R</b>	<b>BU</b>	<b>1</b>			

Look Table	<b>NA=</b> Natural ( Standard)	<b>18=</b> AWG18	<b>TN=</b> Tin Plated	<b>R=</b> ROHS Conform	<b>BU=</b> Bulk (Standard)	<b>1=</b> UL94V-2
	<b>BK=</b> Black (MOQ)	<b>20=</b> AWG20		<b>N=</b> NON ROHS Conform		<b>2=</b> UL94V-0
	<b>WH=</b> White (MOQ)	<b>22=</b> AWG22				
	<b>RD=</b> Red (MOQ)	<b>24=</b> AWG24				
	<b>BL=</b> Blue (MOQ)					
	<b>YE=</b> Yellow (MOQ)					

**Wire to Board Pitch 3,96mm  
Alternative to Serie MASCONN**

Part No.: **T68J007**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	27.06.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	

Customer: