


EDCON-COMPONENTS




Specifications


Voltage Rating: 500 V AC/DC
 Current Rating: 3A AC/DC
 Operating Temperature: -40°C to + 105°C
 Contact Resistance: 20 mΩ
 Withstanding Voltage: 1000 V AC/Minute
 Insulation Resistance: 500MΩ min.
 Material Housing: Nylon 66 / UL94V-0

Pin-Material: Brass /Tin-plated
 Color of Base: Natural (White)

Drawing (dimensions all into mm)



P.C.B. Layout




Wafer Serie T68Pxxxx Pitch 2,50mm

Part No.: **T68P104**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.05.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

EDCON-COMPONENTS



Dimension Information


Pos.	Dimension (mm)					
	A	B	C	D	E	F
2	2,50	7,48				
3	5,00	9,98				
4	7,50	12,48				
5	10,00	14,98				
6	12,50	17,48				
7	15,00	19,98				
8	17,50	22,48				
9	20,00	24,98				
10	22,50	27,48				
11	25,00	29,98				
12	27,50	32,48				
13	30,00	34,98				
14	32,50	37,48				
15	35,00	39,98				

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Wafer Serie T68Pxxxx Pitch 2,50mm	
Part No.:	T68P104
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.05.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Special function	Color of Body	Packing						
T68P104	02	X	NA	BU						
	xx = Pos.	X= no function	NA= Natural (Standard)	BU= Bulk Ware						


Wafer Serie T68Pxxxx Pitch 2,50mm

Part No.: **T68P104**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.05.2012	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 4		


www.edcon-components.com

email: info@edcon-components.com



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wafer Serie T68Pxxxx Pitch
2,50mm

Part No.: **T68P104**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.05.2012	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4		