


EDCON-COMPONENTS




Specifications



Voltage Rating: 600VAC /DC
 Current Rating: 15AC / DC
 Operating Temperature: -25°C ~ +85°C
 Contact Resistance: 3,5m Ω Max.
 Withstanding Voltage: 5000V AC/minute
 Insulation Resistance: 1000M Ω Min.

Material: Nylon 66, UL94V-0 or UL94V-2
 Material Pin: Brass Tin/Plated

Drawing (dimensions all into mm)



PCB Layout



**Wire to Board Serie Pitch
6,35mm with Polarisation**

Part No.: **T68M002**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Dimension Informations about Wafer


Pos.	Dimension (mm)					
	A	B	C	D	E	F
2	6,35	13,97				
3	12,70	20,32				
4	19,05	26,67				
5	25,40	33,02				
6	31,75	39,37				
8	44,45	52,07				

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Wire to Board Serie Pitch 6,35mm with Polarisation	
Part No.:	T68M002
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

EDCON-COMPONENTS



Ordering Informations

Serie	Number of	Body	Contact	ROHS	Packing					
T68M002	02	V0	T	R	BU					

xx = Pos.	V0= Material	T= Tin Plated (Standard)	R= ROHS Conform	BU= Bulk (Standard)
	V2= Material		N= NON ROHS Conform	
		G= Gold Flash Plated (MOQ on request)		

**Wire to Board Serie Pitch
6,35mm with Polarisation**


Part No.: **T68M002**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

Customer:

www.edcon-components.com


email: info@edcon-components.com



Soldering Profile

Lead Free Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wire to Board Serie Pitch 6,35mm with Polarisation	
Part No.:	T68M002
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		4 from 4