


EDCON-COMPONENTS







Specifications

Voltage Rating:	250 V AC/DC
Current Rating:	3A AC/DC
Operating Temperature:	-40°C to + 105°C
Contact Resistance:	10 mΩ
Withstanding Voltage:	800 V AC/Minute
Insulation Resistance:	1000MΩ min.
Material Housing:	Nylon 66 / UL94V-0

Color of Base: Natural / White

Drawing (dimensions all into mm)



Wafer Serie T68Pxxxx Pitch
2,50mm

Part No.: **T68P076**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.05.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Number of Pos.	Special function	Color of Body	Packing						
T68P076	02	X	WH	BU						
	xx = Pos.	X= no function	WH= White (Standard)	BU= Bulk Ware						

Wafer Serie T68Pxxxx Pitch 2,50mm

Part No.: **T68P076**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.05.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

Customer: