




EDCON-COMPONENTS






Specifications

Voltage Rating:	250V AC,DC
Current Rating	3A AC/DC
Operating Temperature	-25°C ~ + 85°C
Contact Resistance	20 milli Ohm max.
Withstanding Voltage	1000V AC/minute
Insulation Resistance	1000 M Ohm min.
Material Pin:(1)	Brass / Tin plated
Wafer	Nylon UL94V-0 (3)
-1	Brass / Tin plated
-2	Brass / Tin plated

Drawing (dimensions all into mm)



PCB Layout




Wafer Serie Pitch 2,00mm

Part No.: **T68T1080-**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS




Pos.	Dimension (mm)					
	A	B	C	D	E	F
2	2,00	6,00	4,90			
3	4,00	8,00	6,90			
4	6,00	10,00	8,90			
5	8,00	12,00	10,90			
6	10,00	14,00	12,90			
7	12,00	16,00	14,90			
8	14,00	18,00	16,90			
9	16,00	20,00	18,90			
10	18,00	22,00	20,90			
11	20,00	24,00	22,90			
12	22,00	26,00	24,90			
13	24,00	28,00	26,90			
14	26,00	30,00	28,90			
15	28,00	32,00	30,90			

Pos.	Dimension (mm)					
	A	B	C	D	E	F

Wafer Serie Pitch 2,00mm	
Part No.:	T68T1080-
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

EDCON-COMPONENTS



Ordering Informations


Serie	Number of Pos.	Contact plating	Body Colour	Body Material	Special function	ROHS	Packing			
T68T1080-	02	T	NA	A	0	R	BU			
	xx = Pos.	T= Tin G= Flash Gold	NA= Nature	A= Nylon V0 B= Nylon V2	0= No Special	R= ROHS Conform N= ROHS Conform	BU= Bulk IV= Individual Package			

Wafer Serie Pitch 2,00mm

Part No.: **T68T1080-**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

Customer:



Soldering Profile

Classification Reflow Profile (JEDEC J-STD-020C)



Wafer Serie Pitch 2,00mm

Part No.: **T68T1080-**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

Customer: