


NOTE:
 1. SOLDER TAIL TO BE WITHIN 0.05 UPWARD AND 0.2 DOWNWARD FROM Z-DATUM PLACE, AND COPLANALITY OF SOLDER TAILS TO BE WITHIN 0.10. MEASUREMENT POINT IS SOLDER TAIL TIP.
 2. INSPECTION SYMBOL:
 : MANUFACTURER INSPECTION
 : Q.C INSPECTION






PCB LAYOUT : COMPONENT SIDE


				GENERAL TOLERANCE		DRAW: Roy	PART NO: 0701A1BE52E	
				X. ±0.30	X.° ± 2.00°	CHECKED:	TITLE: DDR S.O. DIMM 200P ASSEMBLY	
				.X ±0.20	.X° ± 1.00°		APPROVE: SEGA	DRAWING NO: 0701A1BE52E
				.XX ±0.10	.XX° ± 0.50°			
				UNITS: mm	SHEET: 1/3			

REV.	ECO NO.	DESCRIPTION	DATE	 REV. A
MATERIAL:	FINISH:	DATE: 03/19/2008		







				GENERAL TOLERANCE		DRAW: Roy	PART NO: 0701A1BE52E
				X. ±0.30	X.° ± 2.00°	CHECKED:	TITLE: DDR S.O. DIMM 200P ASSEMBLY
				.X ±0.20	.X.° ± 1.00°		
				.XX ±0.10	.XX.° ± 0.50°	APPROVE: SEGA	DRAWING NO: 0701A1BE52E
				.XXX ±0.05			
				UNITS: mm	SHEET: 2 / 3		

REV.	ECO NO.	DESCRIPTION	DATE	 REV. A
MATERIAL:		FINISH:	DATE: 03 / 19 / 2008	



A B C D E F

DDR S.O. DIMM 200P 5.2&9.2 OVERLAY FIGURE



PCB LAYOUT : COMPONENT SIDE(5.2&9.2TYPE)

				GENERAL TOLERANCE		DRAW: Roy	PART NO: 0701A1BE52E
				X. ± 0.30	X° $\pm 2.00^\circ$		CHECKED:
				.X ± 0.20	.X° $\pm 1.00^\circ$	APPROVE: SEGA	DRAWING NO: 0701A1BE52E
				.XX ± 0.10	.XX° $\pm 0.50^\circ$		
				UNITS: mm	SHEET: 3 / 3		

REV.	ECO NO.	DESCRIPTION	DATE	
MATERIAL:	FINISH:	DATE: 03 / 19 / 2008	REV. A	

