


NOTE:


- SOLDERTAIL TO BE WITHIN 0.05 UPWARD AND 0.2 DOWNWARD FROM Z-DATUM PLACE, AND COPLANALITY OF SOLDERTAILS TO BE WITHIN 0.10  
MEASUREMENT POINT IS SOLDERTAILS TIP.
- INSPECTION SYMBOL:  
 ● : MANUFACTURER INSPECTION  
 ◆ : Q.C INSPECTION
- ACCORD HSF CONCRRAFT LEVEL1



				GENERAL TOLERANCE		DRAW:	PART NO:
				X. ±0.30	X.° ± 2.00°	Andrew	1060201E75A
				.X ±0.20	.X° ± 1.00°	CHECKED:	TITLE:
				.XX ±0.10	.XX° ± 0.50°		MXM 230P 0.5 PITCH LEFT KEY
				.XXX ±0.05		APPROVE:	DRAWING NO:
				UNITS: mm	SHEET: 1 / 3	David	1060201E75A
REV.	ECO NO.	DESCRIPTION	DATE	 <b>CONCRRAFT</b> DRAGONSTATE TECHNOLOGY CO., LTD			
MATERIAL:	FINISH:	DATE:	REV. A				
A	B	C	05 / 13 / 2008				

A B C D E F

1  
2  
3  
4  
5  
6  
7



				GENERAL TOLERANCE		DRAW:	PART NO:
				X. ±0.30	X.° ± 2.00°	Andrew	1060201E75A
				.X ±0.20	.X° ± 1.00°	CHECKED:	TITLE:
				.XX ±0.10	.XX° ± 0.50°		MXM 230P 0.5 PITCH LEFT KEY
				.XXX ±0.05		APPROVE:	DRAWING NO:
				UNITS: mm	SHEET: 2 / 3	David	1060201E75A

REV.	ECO NO.	DESCRIPTION	DATE	⊕
MATERIAL:	FINISH:	DATE:	05 / 13 / 2008	REV. A

**CONCRAFT**  
 DRAGONSTATE TECHNOLOGY CO., LTD

A B C D E F

