



EDCON-COMPONENTS





Specifications

Current Rating:	5,0A
Insulation Resistance:	1000M Ohm min.
Contact Resistance:	10milli Ohm max.
Dielectric Voltage:	1500V AC for one minute
Operating Temperature:	. -25°C ~ to +85°C
Insulator Material:	High Temperature Plastic UL94V
Contact Pin:	Brass
Contact Plating:	Sn over Ni.

PCB Layout



Drawing




**MICRO FIT CONNECTOR
3,00mm THR-Technic**

Part No.: **T48024**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

EDCON-COMPONENTS



Pin Code length table free configuration

Dimension (mm)				
	A	B		
2	---	6,65		
4	3,00	9,65		
6	6,00	12,65		
8	9,00	15,65		
10	12,00	18,65		
12	15,00	21,65		
14	18,00	24,65		
16	21,00	27,65		
18	24,00	30,65		
20	27,00	33,65		
22	30,00	36,65		
24	33,00	39,65		


Dimension (mm)				

Dimension (mm)				

MICRO FIT CONNECTOR	
3,00mm THR-Technic	
Part No.:	T48024
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

EDCON-COMPONENTS




Ordering Informations

Serie	No. of Pos.	Contact Plating	Plastic Material	Color	ROHS	Packing				
T48024	XX	T0	HT	BK	R	BU				

XX =2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	T0 = Tin plated	HT = High Temperatur Plastic	BK = Black	N =NO ROHS conform	BU = Bulk Ware
	S0 = Tin plated Solder Gold Flash on Contact Area			R =ROHS conform	TC = Tube Packing w. Cap
				TR = Tape / Reel	

MICRO FIT CONNECTOR	
3,00mm THR-Technic	
Part No.:	T48024
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile for Lead Soldering (P.B.T.)



Soldering Profile for Lead Free Soldering (Nylon 6T)



**MICRO FIT CONNECTOR
3,00mm THR-Technic**

Part No.: **T48024**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	10.04.2009	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4		