






# EDCON-COMPONENTS



## Technical Description

Rated Current	2,4 Amp.
Contact Resistance	20mΩ max.
Withstanding Voltage	500V AC/DC
Insulation Resistance:	1000MΩ min
Operating Temperature	-40°C ~ +105°C
Contact Material	Brass
Contact Plating	Tin over Nickel
Insulator Material	High Temperature Plastic UL94V-0

## Drawing





<b>E-PICOFLEX Connector IDC Male Type 2</b>	
Part No.:	<b>T68C003</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.09.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3


[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS



**Type 2**




**Layout Type 2**

<b>E-PICOFLEX Connector IDC Male Type 2</b>	
Part No.:	<b>T68C003</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.09.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. Of Pos.	Contact Plating	Insulator Material	Case Color	ROHS	Packing				
<b>T68C003</b>	<b>04</b>	<b>SN</b>	<b>PB</b>	<b>WH</b>	<b>R</b>	<b>TU</b>				

<b>04= 4Pos.</b>	<b>SN= Tinned</b>	<b>PB= PBT</b>	<b>WH= White</b>	<b>R= ROHS Conform</b>	<b>TU= TUBE Packing</b>
<b>04~26Pos.</b>	<b>G0= Gold Flash overall</b>				
	<b>G1= 3µ Gold overall</b>				
	<b>G2= 5µ Gold overall</b>				
	<b>G3= 10µ Gold overall</b>	<b>S3= 10µ Gold flash on Contact side</b>	<b>S4= 15µ Gold flash on Contact side</b>		
	<b>G4= 15µ Gold overall</b>	<b>S2= 5µ Gold flash on Contact side</b>	<b>S5= 30µ Gold flash on Contact side</b>		
	<b>G5= 30µ Gold overall</b>				
	<b>S0= Gold flash on Contact side</b>	<b>S1= 3µ Gold flash on Contact side</b>			

**E-PICOFLEX Connector  
IDC Male Type 2**

Part No.: **T68C003**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.09.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	Customer: