




# EDCON-COMPONENTS






## Technical Description

**Rating:** DC6V, 0,3A  
**Circuit:** 1C-2P  
**Timing:** NON-Shorting  
**Travel:**  $4,0 \pm 0,1$ mm  
**Contact Resistance:** 70 mΩ max.  
**Operating Force:** 100gf  $\pm$  50gf.  
**Stay**  
  
**Operating Life:** 10000 cycles

## Drawing



## PCB Layout



**SMD-SLIDE-Switch  
3,5mm Height**


Part No.: **Q62047**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	31.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	Customer:

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS



## Ordering Informations

Serie	Knob Length (H)	Knob Type	Polarisation Peg	Spezial Function	ROHS	Packing				
-------	-----------------	-----------	------------------	------------------	------	---------	--	--	--	--

<b>Q62047</b>	<b>A</b>	<b>0</b>	<b>Y</b>	<b>0</b>	<b>R</b>	<b>TR</b>				
---------------	----------	----------	----------	----------	----------	-----------	--	--	--	--

<b>A= 2,0mm</b>	<b>0= No function</b>	<b>Y= with Peg</b>	<b>0= No function</b>	<b>R= ROHS Conform</b>	<b>BU= Bulk-Ware</b>
<b>B= 4,0mm</b>					<b>TR= Tape Reel</b>


**SMD-SLIDE-Switch  
3,5mm Height**

Part No.: **Q62047**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	31.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	Customer:

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



**SMD-SLIDE-Switch  
3,5mm Height**

Part No.: **Q62047**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	31.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	Customer: