




Material



Material:	Body Nickel Brass plated
Seal:	PA6 Sealing NBR
Protection Degree:	Using suitable O-Sealing within clamping range ist protection degree can reach IP68
Properties:	Succeed in the experiment of IEC-60077-1999 resistance to vibration and impact
Temperature Range:	Stat. Min. -40°C max 100°C Short-term 120°C Dynam. Min. -20°C max 80°C Short-term 100°C
Note:	According to customer demand for custom ROHS through the joint certification of products

Technical Drawing



Metal Cable Gland M Thread Multi-apertured

Part No.: **231009**

Customer:

DRW:	Jason	CHKD	Jules	MATL:	Wu	DATE	06.06.2007
APPD:	Join			FINISH	Shieh	Sheet	1 from 2

Copyright by EDCON-COMPONENTS H.Schmitt 20.6.2008



Dimension Table

Size	Thread	Clamping	Thread	Thread	Wrench	Packing
	Dimension	Range (mm)	AG (mm)	Length (mm)	Size (mm)	units
PG9A	PG9	4x1.4	15,2	6	17	50
PG9B	PG9	2x3	15,2	6	17	50
PG11A	PG11	2x3	18,6	6	20	50
PG11B	PG11	3x3	18,6	6	20	50
PG11C	PG11	2x4	18,6	6	20	50
PG11D	PG11	3x2	20,4	7	22	50
PG11E	PG11	6x3	20,4	7	22	50
PG11F	PG11	3x4	20,4	7	22	50
PG16A	PG16	3x3	22,5	7	24	50
PG16B	PG16	3x4	22,5	7	24	50
PG16C	PG16	4x4	22,5	7	24	50
PG16D	PG16	5x4	22,5	7	24	50
PG16E	PG16	6x4	22,5	7	24	50
PG16F	PG16	2x6	22,5	7	24	50
PG16G	PG16	3x5.6	22,5	7	24	50
PG21A	PG21	4x6	28,3	7	40	25
PG21B	PG21	3x7	28,3	7	30	25
PG21C	PG21	2x8	28,3	7	30	25
PG29A	PG29	6x6.5	37	8	40	20
PG29B	PG29	4x9	37	8	40	20
PG36A	PG36	5x9	47	9	50	10
PG36B	PG36	7x9	47	9	50	10
PG36C	PG36	6x8	47	9	50	10
PG36D	PG36	2x15	47	9	50	10
PG48A	PG48	8x10	59,3	10	65	5
PG48B	PG48	6x12	59,3	10	65	5
PG48C	PG48	3x18	59,3	10	65	5

Ordering Information

Serie	Size	ROHS	Packing								
231009	PG9A	R	B05								
<table><tr><td rowspan="3">Look dimension table</td><td>R= ROHS Conform</td><td rowspan="3">B05= 50PCS in one Poly Bag look Packing units</td></tr><tr><td>0= NON ROHS</td></tr><tr><td></td></tr></table>					Look dimension table	R= ROHS Conform	B05= 50PCS in one Poly Bag look Packing units	0= NON ROHS		Metal Cable Gland M Thread Multi-apertured	
						Look dimension table		R= ROHS Conform	B05= 50PCS in one Poly Bag look Packing units		
								0= NON ROHS			
Part No.: 231009											
Customer:											
DRW:	Jason	CHKD	Jules	MATL:	Wu	DATE	06.06.2007				
APPD:	Join			FINISH	Shieh	Sheet	2 from 2				

