EDCON-COMPONENTS

EDCON COMPONENTS
A MEMBER OF EDCON-GROUP

Technical Discription

Temperature Range: ABS= -40°C ~ +85°C
PC= -40°C ~ +120°C

Protection Degree IP66-67

Plastic boxes screw type

In Injection molding, fastening channel made as one with enclosure´s body is superior on strength and is durable without chrushing when you put the screw into channel.

Our enclosure´s thickness is strengthened with laying emphasis on protection of electricity-electron components.

They can be used semi-permanently.

Our Enclosure can be used in poor and dangerous industrial circumstances. As we apply shockproof material to our enclosures and make up for structures of our enclosures.

Dimension (mm)												
W1	W2	W3	W4	H1	H2	H3	H4	D1	D2	D3	M1	M2
125	119	105		125	119	105	70	50	20	83	101	102

Sealed Plastic Enclosure
125 x 125 x 100mm

Part No.: **H21023**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

Customer:

www.edcon-components.com
email: info@edcon-components.com

Copyright by EDCON-COMPONENTS

EDCON-COMPONENTS

EDCON COMPONENTS
A MEMBER OF EDCON-GROUP

Technical Drawing



Sealed Plastic Enclosure
125 x 125 x 100mm

Part No.: **H21023**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3

Copyright by EDCON-COMPONENTS

EDCON-COMPONENTS

Accessories for Enclosures H210xx Serie

Ordering Informations

Serie	Material Base	Material Cover	Color Base	Color Cover	ROHS	Packing				
H21023	**A**	**A**	**G**	**G**	**R**	**S**				
	A= ABS	**A=** ABS	**G=** Gray	**G=** Gray	**R=** ROHS Conform	**S=** Standard Packing				
	P= Polycar - bonat	**P=** Polycar - bonat	**T=** Transparent	**T=** Transparent	**N=** NON ROHS Conform	**I=** Individual Packing				

Sealed Plastic Enclosure
125 x 125 x 100mm

Part No.: **H21023**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3	

email: info@edcon-components.com

Copyright by EDCON-COMPONENTS