

EDCON-COMPONENTS



Technical Discription

Temperature Range: ABS= -40°C ~ +85°C

PC= -40°C ~ +120°C

Protection Degree

IP66-67

Draw latch and hinge made of stainless steel hardly break in high frequency in opening and shutting.

We raise hinge and draw latch dimensions in case of enclosures size elevation. For that reason our enclosure can prevent sinking and secure airtight ability in opening and shutting.

To Use for Console-alternative rail and bitton box , mini terminal , signal box, gauge aand meter console, communications and connectin box. etc.

Our Enclosure can be used in poor and dangerous industrial circumstances. As we apply shockproof material to our enclosures and make up for structures of our enclosures.



Dimension (mm)												
W1	W2	W3	W4	H1	H2	H3	H4	D1	D2	D3	M1	M2
502	475	452	428	402	375	352	328	170	30	178	358	458

**Sealed Plastic Enclosure
500 x 400 x 200mm**

Part No.: **H25021**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4


Customer:

www.edcon-components.com

email: info@edcon-components.com



Technical Drawing



**Sealed Plastic Enclosure
500 x 400 x 200mm**

Part No.: **H25021**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	



Accessories for Enclosures H250xx Serie

Ordering Informations

Serie	Material Base	Material Cover	Color Base	Color Cover	ROHS	Packing				
-------	---------------	----------------	------------	-------------	------	---------	--	--	--	--

H25021	A	A	G	G	R	S				
---------------	----------	----------	----------	----------	----------	----------	--	--	--	--

A= ABS	A= ABS	G= Gray	G= Gray	R= ROHS Conform	S= Standard Packing
P= Polycar - bonat	P= Polycar - bonat	T= Transparent	T= Transparent	N= NON ROHS Conform	I= Individual Packing

**Sealed Plastic Enclosure
500 x 400 x 200mm**

Part No.: **H25021**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.		4 from 4

Customer: