

Data Sheet

Screwless Terminal Block Pitch 10,16mm

Pitch: 10,00 mm


Serie: A11T036

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0


EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical	UL	IEC
Rated Voltage	300Volt	
Rated Current	15A	
Wire Range	2,5mm ²	
Wire Range AWG-Size	12 ~ 28	
Withstanding Voltage		2,5KV
Insulation Resistance		5000MΩ / 1000V
Mechanical		
Operating Temperature		-40°C ~ +115°C
Wire Strip Length		8-10mm
Dimensions		
Pitch (mm)		10,00
Poles		2 ~ 12 Pos.
Materials		
Terminal Housing		PA66 + 23% GF UL94V-0
Solder Pin		Brass Tin Plated
Cage		Stainless Steel




Screwless Terminal Block Pitch 10,16mm	
Part No.:	A11T036
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	11.05.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

EDCON-COMPONENTS



Dimension Tolerance (mm)



No. of Pos.	A	Tol. A	B	Tol. B
02	20,00	± 0,10	10,00	± 0,10
03	30,00	± 0,10	20,00	± 0,10
04	40,00	± 0,10	30,00	± 0,10
05	50,00	± 0,10	40,00	± 0,10
06	60,00	± 0,10	50,00	± 0,10
07	70,00	± 0,10	60,00	± 0,10
08	80,00	± 0,10	70,00	± 0,10
09	90,00	± 0,20	80,00	± 0,20
10	100,00	± 0,20	90,00	± 0,20
11	110,00	± 0,20	100,00	± 0,20
12	120,00	± 0,20	110,00	± 0,20
13	130,00	± 0,20	120,00	± 0,20
14	140,00	± 0,20	130,00	± 0,20
15	150,00	± 0,20	140,00	± 0,20
16	160,00	± 0,20	150,00	± 0,20
17	170,00	± 0,30	160,00	± 0,30
18	180,00	± 0,30	170,00	± 0,30
19	190,00	± 0,30	180,00	± 0,30
20	200,00	± 0,30	190,00	± 0,30
21	210,00	± 0,30	200,00	± 0,30
22	220,00	± 0,30	210,00	± 0,30
23	230,00	± 0,30	220,00	± 0,30
24	240,00	± 0,30	230,00	± 0,30

Screwless Terminal Block Pitch 10,16mm

Part No.: **A11T036**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	11.05.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Screw Type	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
-------	-------------	------------	------------	---------------	------	---------	-----------------	------------------	--	--

A11T036	02	PG	C	N	R	B				
----------------	-----------	-----------	----------	----------	----------	----------	--	--	--	--

Pitch 10,00	02= Number of Pos.			N= NON Approval	R= ROHS Conform	B= Bulk-Ware	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
	Standard 2 ~ 12Pos.			A= UL /UR Approval Please consult EDCON for available	N= NON ROHS Conform	I= Individual Package		
	GN= Green							
	GY= Gray							
	BL= Blue	C= Screwless Type		B= VDE Approval Please consult EDCON for available				
	BK= Black			C= TÜV Approval Please consult EDCON for available				


Screwless Terminal Block Pitch 10,16mm	
Part No.:	A11T036
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	11.05.2016
APPD:	Schumi			FINISH	Jamy			Sheet No.	3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



**Screwless Terminal Block
Pitch 10,16mm**

Part No.: **A11T036**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	11.05.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	