



DATA SHEET

Standard -D-Sub-Crimp-Contact

Serie: T24F100

Standard -D-Sub-Crimp-Contact	
Serie No.:	T24F100
Customer:	


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 6	

EDCON-COMPONENTS




Technical Dimensions Male Type

Material: **Male Contact**
 Brass
 Plating: Nickel Plating
 Contact Area: look order Code
 Contact Plating
 Packing: Tape/Reel
 Wire Range: AWG 24~20
 Insulation Range: 1,25 ~ 1,55mm
 Mating for Serie T24E900



Isolation



Wire

Standard -D-Sub-Crimp-Contact

Part No.: **T24F100**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 6

Customer:


www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Technical Dimensions Male Type



Standard -D-Sub-Crimp-Contact	
Part No.:	T24F100
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 6

www.edcon-components.com


email: info@edcon-components.com

EDCON-COMPONENTS




Technical Dimensions Female Type

Material: **Female Contact**
 Phosphor Bronze
 Plating: Nickel Plating
 Contact Area: look order Code
 Contact Plating
 Packing: Tape/Reel
 Wire Range: AWG 24~20
 Insulation Range: 1,25 ~ 1,55mm
 Mating for Serie T24E900



Isolation



Wire

Standard -D-Sub-Crimp-Contact

Part No.: **T24F100**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		4 from 6

Customer:


www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Technical Dimensions Female Type



Standard -D-Sub-Crimp-Contact	
Part No.:	T24F100
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		5 from 6

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Contact Type	Contact Material	Contact Plating	Special function	Special function	ROHS	Packing Code	
-------	--------------	------------------	-----------------	------------------	------------------	------	--------------	--

T24F100	F	PB	G0	N	N	R	TR	
----------------	----------	-----------	-----------	----------	----------	----------	-----------	--

F= Female	PB= Phosphor Bronze Female	G0= Contact Area Gold Flash	N= No special	N= No special	R= ROHS Conform	BU= Bulk Ware	
M= Male							
	BR= Brass Male	GA= Contact Area 1µ Gold			N= NON ROHS Conform	TR= Tape / Reel	
		GB= Contact Area 3µ Gold					
		GC= Contact Area 15µ Gold					

Standard -D-Sub-Crimp- Contact	
Part No.:	T24F100
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.08.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		6 from 6