

EDCON-COMPONENTS






Technical Discription

Housing: PC
 Contact: Phosphor Bronze w. silver Plating
 Option: Phosphor Bronze w. nickel Plating
 Wire cable size: 24# AWG

Contact Resistance: 10 milli Ohm max.
 Voltage Rating: 250VDC
 Operating Resistance: 500VDC voltage appl 1000M Ohm min.
 Dielectric strength: AC 1000Vrms

Drawing



IDC / PCB Connector

Part No.: **T91A35004**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	

Customer:
 email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations

Serie	Housing Material	Contact plating	Color of Body	Spezial Function	ROHS	Packing				
-------	------------------	-----------------	---------------	------------------	------	---------	--	--	--	--

T91A35004	-	C	N	WH	0	R	BU			
------------------	---	----------	----------	-----------	----------	----------	-----------	--	--	--

	S= Silver plating	WH= White	0= No function	R= ROHS Conform	BU= Bulk-Ware
	N= Nickel Plating				
C= PC					IV= Individual Packing

IDC / PCB Connector

Part No.: **T91A35004**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



IDC / PCB Connector

Part No.: **T91A35004**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.10.2015
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 3	