



Technical Discription of cable assembly

X	Round cable assembly
	one side connector
X	both side connector
	Connector on left side Item-No.
	Connector on right side Item-No.

USB-A Type
Micro -USB-Type

Cover left side
Cover right side
Screw from cover left side
Screw from cover right side

Molded type
Molded type
No
No

Cable Type:
Color of Cable:
Wire of cable:
Length of cable (total length)
Wire connecting with connector
Connecting Diagramm

Round cable with Shield
Black
AWG28
1000mm


C	Micro USB(Black)	<i>Type-B Plug(Solder) Plating : Contact-Gold Flash;Shell-SUS.</i>
	Mold	<i>Plastic PVC 50P; Color=Black</i>
B	USB(Black)	<i>Type-A Plug;3 Part Module. Plating : Contact-Gold Flash;Shell-Nickel</i>
	Mold	<i>Plastic PVC 50P; Color=Black</i>
A	Round Cable	<i>UL2725 1P#28+2C#28+AL+B(64/0.107A) OD=4.0mm;Color=Black</i>
NO.	PART NO/TITLE	MATERIAL/DESCRIPTION

EDCON-Part-No.
TA20005
Page
1 from 3

Customer-No.	Drawing from	Checked from Customer	Checked from factory	Checked from Staff
150681	25.06.2012			



Technical Discription of cable assembly



Note: Test Conditions:

Insulator Resistance: 10M ohm Min/300V DC.

Contact Resistance: 2m ohm Max.

Open Short-Pass.

Figure: Pin Define

P1		P2
1	Red-紅	1
2	White-白	2
3	Green-綠	3
4	Black-黑	5
Shell	AL+Braid	Shell

EDCON-Part-No.
150681-001
Page
2 from 3

Customer-No.	Drawing from			
150681	25.06.2012			



Ordering Informations

Serie	Lenght of cable	Body Color	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
TA20004	102	BK	N	R	B				

102= 1000mm	BK = Cable Color Black GY = Cable Color Gray	N= No approval	R= ROHS Conform N= NON ROHS Conform	B= Bulk-Ware I= Individual Package	XXXXXX= Customer Number	xxx= Customer Version ??(Printing) or anythink else
--------------------	---	-----------------------	--	---	--------------------------------	---

EDCON-Part-No.
TA20005
Page
3 from 3

Customer-No.	Drawing from	Checked from Customer	Checked from factory	Checked from Staff
150681	25.06.2012	?????		