









Applications

- Interior automotive lighting - Optical indicators - Communication Products - Backlighting
 - - Toys

Technical Drawing



Recommended Soldering Pattern



Notes:

All dimensions in mm tolerance is

± 0.1mm unless otherwise noted.

SMT Top View LED Yellow Green Orange

M11B3001 Part No.:

Customer:

DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Ping			FINISH	Dia	Sheet	1 from 9









Absolute Maximum Ratings

Ta=25°C

Item	Symbol	AlinGaP	Unit
Power Dissipation	P_D	72	mW
DC Forward Current	I _F	30	mA
Plused Forward Current	l _{FP} *	100	mA
Reverse Voltage	V_R	5	V
Operating Temperature	T_OP	-30 to 80	°C
Storage Temperature	T_{ST}	-40 to 85	°C

^{* 0.1} msec pulse, 10% duty cycle

Electrcal / Optical Characteristics

I_F=---mA Ta=25°C

Ermitting Color		Yellow Green	Orange		
Material		AllnGaP	AllnGaP		
Forward Voltage	typ.	1.9	2.0	V_{F}	
Forward Voitage	max.	2.4	2.4	V_{F}	
Wavelength	λD	573	622	nm	
	λP	574	636	nm	
typ.	Δλ	20	17	nm	
Color Temperature	min.			K	
Color remperature	max.			K	
Luminous Intensity *	min.	40	40	mcd	
Luminous intensity	typ.	60	60	mcd	
Reverse Current	max.			μA	
Viewing Angle	2Θ1/2	x = 1	x = 140 y = 120		

^{*} Per NIST standards

SMT Top View LED
Yellow Green Orange

Part No.: **M11B3001**

Customer:


DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Ping			FINISH	Dia	Sheet	2 from 9







Directive Characteristics



SMT Top View LED
Yellow Green Orange

Part No.: **M11B3001**

Customer:

DRW: Wang CHKD Wung MATL: Chui DATE 03.12.2009

APPD: Ping FINISH Sheet 3 from 9 Dia

Copyright by EDCON-COMPONENTS

www.edcon-components.com

email: info@edcon-components.com












Curvs







SMT Top View LED Yellow Green Orange

Part No.: M11B3001

Customer:

DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Pina			FINISH	Dia	Sheet	4 from 9

Copyright by EDCON-COMPONENTS

www.edcon-components.com






email:



info@edcon-components.com

Solder Condition

Lead Free Solder



SMT Top View LED
Yellow Green Orange

Part No.: **M11B3001**

Customer

Cusionici.

email:

DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Pina			FINISH	Dia	Sheet	5 from 9

Copyright by EDCON-COMPONENTS

www.edcon-components.com









info@edcon-components.com


A MEMBER OF EDCON-GROUP

Packing Specifications



Reel Specifications





SMT Top View LED
Yellow Green Orange

Part No.: **M11B3001**

Customer:

email:

DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Pina			FINISH	Dia	Sheet	6 from 9

Copyright by EDCON-COMPONENTS

www.edcon-components.com








info@edcon-components.com

Handling Precautions

Compare to epoxy encapsulant that is hard and brittle, silicone is softer and flexible. Although ist characteristic significantly reduces thermal stress, it is more susceptible to damage by external mechanical force. As a result, special handling precautions need to be observed during assembly using silicone encapsulated LED products. Failure to comply might leads to damage and premature failure of th LED.

1. Handle the component along the side surfaces by using forceps or appropriate tools



2. Do not directly touch or handle the silicone lens surfance. It may damage the internal circuitry.





3. Do not stack together assembled PCBs containing exposed LEDs. Outside impact may scratch the silicone lens or damage the internal circuitry.



SMT Top View LED
Yellow Green Orange

Part No.: M11B3001
Customer:

email:

DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Ping			FINISH	Dia	Sheet	7 from 9

Copyright by EDCON-COMPONENTS


www.edcon-components.com








info@edcon-components.com



- 5. A pliable material is suggested for the nozzle tip to avoid scratching or damaging the LED surface during pickup.
- 6. The dimensions of the component must be accurately programmed in the pick-and-place machine to insure precise pickup and avoid damage during production.



SMT Top View LED
Yellow Green Orange

Part No.: **M11B3001**

Customer:

- 6								
	DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
	APPD:	Pina			FINISH	Dia	Sheet	8 from 9

Copyright by EDCON-COMPONENTS

www.edcon-components.com


email: info@edcon-components.com







Color table curve



Part No.:	M11B3001
Customer:	

DRW:	Wang	CHKD	Wung	MATL:	Chui	DATE	03.12.2009
APPD:	Ping			FINISH	Dia	Sheet	9 from 9

Copyright by EDCON-COMPONENTS

www.edcon-components.com

email: info@edcon-components.com