



EDCON-COMPONENTS




Technical Discription

Curent Rating:	7,5A
Contact Resistance:	<15mΩ max.
Withstanding Voltage:	1500VAC/ DC
Insulation Resistance:	1000MΩ Min
Operating Temperature:	.-25°c to + 85°C
Contact Material:	Phosphor Bronze
Contact Plating:	Matte SN over Ni
Insulator Material:	PA9-T UL94V-0
Voltage Rating:	250V.Ac/Dc

Drawing



PCB Layout (mm)




**Wire to Board Connector
(Wafer) SMD TOP-Entry**

Part No.: **T68J043**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	05.07.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Wire to Board Connector (Wafer) SMD TOP-Entry	
Part No.:	T68J043
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	05.07.2019
APPD:	Schumi			FINISH	Jamy		Sheet No.		4 from 4